



CALS TEST NETWORK

# AFCTN Test Report 93-063

AFCTB-ID  
93-018



## Technical Publication Transfer

Using:



## Northrop Corporation's Data



MIL-D-28000A (IGES)

MIL-M-28001A (SGML)

MIL-R-28002A (Raster)

MIL-D-28003 (CGM)

## Quick Short Test Report

7 March 1993

DEFINITION STATEMENT 16

Approved for public release  
Distribution Unlimited


Prepared for

Electronic Systems Center

DTIC QUALITY INSPECTED 3



# DISCLAIMER NOTICE



**THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.**

**AFCTN Test Report**  
93-063

**AFCTB-ID**  
93-018

---

**Technical Publication Transfer**  
**Using:**  
**Northrop Corporation's Data**

**MIL-D-28000A (IGES)**  
**MIL-M-28001A (SGML)**  
**MIL-R-28002A (Raster)**  
**MIL-D-28003 (CGM)**

**Quick Short Test Report**  
**07 March 1993**

---

**Prepared By**  
Air Force CALS Test Bed  
Wright-Patterson AFB, OH 45433

**AFCTB Contact**  
Gary Lammers  
(513) 427-2295

**AFCTN Contact**  
Mel Lammers  
(513) 427-2295

**DTIC QUALITY INSPECTED 3**

## DISCLAIMER

This document was prepared as an account of work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Referenced herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the  
National Technical Information Service  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

---

## Contents

1.	Introduction.....	1
1.1.	Background.....	1
1.2.	Purpose.....	2
2.	Test Parameters.....	3
3.	1840A Analysis.....	6
3.1.	External Packaging.....	6
3.2.	Transmission Envelope.....	6
3.2.1.	Tape Formats.....	6
3.2.2.	Declaration and Header Fields.....	6
4.	IGES Analysis.....	7
5.	SGML Analysis.....	8
6.	Raster Analysis.....	8
7.	CGM Analysis.....	9
8.	Conclusions and Recommendations.....	11
9.	Appendix A - Tapetool Report Logs.....	12
9.1.	Tape Catalog.....	12
9.2.	Tape Evaluation Log.....	13
9.3.	Tape File Set Validation Log.....	17
10.	Appeddix B - Detailed IGES Analysis.....	20
10.1.	File Q204.....	20
10.1.1.	Parser/Verifier Log.....	20
10.1.2.	Output IGESWorks .....	25
10.1.3.	Output IGESView.....	26

---

---

10.1.4. Output iges2draw/IslandDraw.....	27
10.2. File Q205.....	28
10.2.1. Parser/Verifier Log.....	28
10.2.2. Output IGESWorks.....	33
10.2.3. Output IGESView.....	34
10.3. File Q206.....	35
10.3.1. Parser/Verifier Log.....	35
10.3.2. Output IGESWorks.....	41
10.3.3. Output IGESView.....	42
10.3.4. Output iges2draw/IslandDraw.....	43
10.4. File Q207.....	44
10.4.1. Parser/Verifier Log.....	44
10.4.2. Output IGESWorks.....	49
10.4.3. Output IGESView.....	50
10.4.4. Output iges2draw/IslandDraw.....	51
11. Appendix C - Detailed SGML Analysis.....	52
11.1. Datalogics Parser Log.....	52
12. Appendix E - Detailed CGM Analysis.....	53
12.1. File C204.....	53
12.1.1. Parser Log MetaCheck.....	53
12.1.2. validcgm Log.....	54
12.1.3. Output Harvard Graphics.....	56
12.1.4. Output IslandDraw.....	57
12.1.5. Output cgm2draw/IslandDraw.....	58

---

---

12.2. File C205.....	59
12.2.1. Parser Log MetaCheck.....	59
12.2.2. validcgm Log.....	60
12.2.3. Output Harvard Graphics.....	62
12.2.4. Output IslandDraw.....	63
12.2.5. Output cgm2draw/IslandDraw.....	64
12.3. File C206.....	65
12.3.1. Parser Log MetaCheck.....	65
12.3.2. validcgm Log.....	66
12.3.3. Output Harvard Graphics.....	68
12.3.4. Output IslandDraw.....	69
12.3.5. Output cgm2draw/IslandDraw.....	70
12.4. File C207.....	71
12.4.1. Parser Log MetaCheck.....	71
12.4.2. validcgm Log.....	72
12.4.3. Output Harvard Graphics.....	74
12.4.4. Output IslandDraw.....	75
12.4.5. Output cgm2draw/IslandDraw.....	76
12.5. File C208.....	77
12.5.1. Parser Log MetaCheck.....	77
12.5.2. validcgm Log.....	78
12.5.3. Output Harvard Graphics.....	80
12.5.5. Output cgm2draw/IslandDraw.....	81

---

## 1. Introduction

### 1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-Cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

---



## 1.2 Purpose

The purpose of the informal test, reported in this QSTR, was to analyze Northrop Corporation's interpretation and use of the CALS standards in transferring technical publication data. Northrop used its CALS Technical Data Interchange System to produce data, in accordance with the standards, and delivered it to the AFCTN technical staff on a 9-track magnetic tape.

## 2. Test Parameters

Test Plan: AFCTB 93-018

Date of  
Evaluation: 7 March 1993

Evaluators: George Elwood  
Air Force CALS Test Bed  
DET 2 HQ ESC/ENCP  
Suite 300  
4027 Colonel Glenn Hwy  
Dayton OH 45431-1672

Data  
Originator: John P. Kent  
Northrop Corporation  
B-2 Division  
L591/GK  
8900 East Washington Blvd  
Pico Rivera CA 90660  
(310) 948-0624

Data  
Description: Technical Manual Test  
3 Document Declaration files  
3 Document Type Definitions (DTD)  
4 Initial Graphics Exchange Specifications  
(IGES) files  
3 Text files  
1 Raster file  
5 Computer Graphics Metafile (CGM) files

Data  
Source System:

IGES

### HARDWARE

Unknown

### SOFTWARE

Unknown

---

Text/Standard Generalized Markup Language (SGML)

HARDWARE

Unknown

SOFTWARE

Unknown

Raster

HARDWARE

Unknown

SOFTWARE

Unknown

CGM

HARDWARE

Unknown

SOFTWARE

Unknown

Evaluation Tools Used:

MIL-STD-1840A (TAPE)

SUN 3/280

AFCTN Tapetool v1.2.8 UNIX

Texas Instruments (TI) Tapetool v1.0.1

MIL-D-28000 (IGES)

Sun SparcStation 2

ArborText iges2draw

IGES Data Analysis (IDA) Parser/Verifier v92

IDA IGESView v3.05

International TecheGroup Incorporated

(ITI) IGESWorks v1.3

MIL-M-28001 (SGML)

Cheetah Gold 486

Datalogics ParserStation v3.36

Exoterica XGMLNormalizer v1.2e3.2

Public Domain sgmls

**MIL-R-28002 (Raster)**

SUN SparcStation 2

ArborText g42tiff

AFCTN validg4

AFCTN calstb.475

IDA IGESView v3.0

Island Graphics IslandPaint v3.0

Cheetah

Inset Systems HiJaak v2.1

Inset Systems HiJaak Window v1.0

Software Publishing Corporation

(SPC) Harvard Graphics v3.0

Corel Ventura Publisher

**MIL-D-28003 (CGM)**

SUN SparcStation 2

ArborText cgm2draw

Island Graphics IslandDraw v3.0

Cheetah Gold 486

Advance Technology Center

(ATC) MetaView R 1.12

ATC MetaCheck R 2.05

SPC Harvard Graphics 3.05

Inset Systems HiJaak v2.1

Inset Systems HiJaak v1.0 Windows

Micrografx Designer 3.1

Micrografx Charisma 2.1

Corel Ventura Publisher

**Standards**

**Tested:**

MIL-STD-1840A

MIL-D-28000A

MIL-M-28001A

MIL-R-28002A

MIL-D-28003

### **3. 1840A Analysis**

#### **3.1 External Packaging**

The tape arrived at the Air Force CALS Test Bed (AFCTB) enclosed in a box in accordance with ASTM D 3951. The exterior of the box was marked with the magnetic tape warning label, as required by MIL-STD-1840A, para. 5.3.1.3.

The tape were enclosed in a barrier bag as required by MIL-STD-1840A, para. 5.3.1.2. Inspection of the tape reel showed the label indicating the recording density, as required by MIL-STD-1840A, para. 5.3.1. Enclosed in the box was a packing list showing all files recorded on the tape.

#### **3.2 Transmission Envelope**

The 9-track tape received by the AFCTB contained MIL-STD-1840A files. The files were named per the standard conventions.

##### **3.2.1 Tape Formats**

The tape was run through the AFCTB *Tapetool* v1.2.8 utility. No errors were encountered while evaluating the contents of the tape labels.

The tape was also evaluated using TI's version of *Tapetool*. No errors were reported from this program.

##### **3.2.2 Declaration and Header Fields**

No errors were found in the Document Declaration file or data file headers.

#### 4. IGES Analysis

This tape contained four IGES files. These files were evaluated using IDA's *Parser* and *Verifier* set for CALS Class I. This software reported no errors in the files.

The AFCTB has several tools for viewing IGES files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of meeting CALS standards. All operations were performed using the default settings.

The four files were converted using ArborText's *iges2draw* utility with no reported errors. When the resulting files were imported into Island Graphics' *IslandDraw*, file Q304 displayed the right edge with nothing printing except a few lines. File Q305 displayed a heavy line on the right side of the screen and printed nothing. Files Q306 and Q307 displayed and printed without a problem.

The four files were converted using the AUTODESK's *IGES Translator 5.1* with no reported problems. The resulting files were displayed using AUTODESK's *AutoCAD R12*. The images appear to be complete.

The four files were imported into IDA's *IGESView* without a reported problem. The files displayed and printed without a problem. All files appear to be complete.

the four files were imported into ITI's *IGESWorks* with no reported errors. All files displayed and printed with complete images.

The IGES files meet the CALS MIL-D-28000A specification.

## 5. SGML Analysis

The tape contained three DTDs and three Text files. The DTDs were the same except for the graphic references. To save time, all of the graphic references were placed in one DTD and this file was used during all operations.

The Text files on this tape were short and only called the graphics files.

The DTD was parsed using Exotercia's *XGMLNormalizer* with no reported errors. When the DTD was use to parse all three Text files the same errors were reported.

```
C:\XGML\XGMLNORM.EXE --  
Error on line 1 in file i:\9318\t101.txt:  
A REQUIRED attribute is missing.  
For start tag 'DOC': For REQUIRED CDATA attribute 'FOSICITE'.
```

The DTD was parsed using the Datalogics' *ParseStation* software with no reported errors. This software did you non used elements. See the appendix for the log file. When the DTD was used to parse the text files, the missing tag was also reported. See the Appendix for the log.

The DTD was parsed using the Public Domain *sgmls* parser. This parser reported two errors in the DTD. When the DTD and Text files were parsed together several error messages were generated. The boardno errors are not errors because they were commented out of the DTD before parsing. This parser also reported the missing tag.

The DTD and Text files do not meet the CALS MIL-D-28001A specification.

## 6. Raster Analysis

The tape contained one Raster Type II file. The AFCTB currently does not have the ability to evaluate Type II Raster files. The file will be sent to LLNL for evaluation.

---

## 7. CGM Analysis

This tape contained five CGM files. All files were evaluated using ATC's *MetaCheck* software with CALS options. The version in use is not the most current version of the software. This utility reported that all files meet the CALS MIL-D-28003 specification.

The files were evaluated using the AFCTN beta *validcgm* utility. This program reported errors in all files.

The AFCTB has several tools for viewing CGM files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of meeting CALS standards. All operations were performed using the default settings.

The files were converted using ArborText's *cgm2draw* utility. No errors were reported during this procedure. The resulting files were read into Island Graphics' *IslandDraw*. With the exception of font problems and misplaced lines, the files all displayed and printed correctly. It was noted that no colors were displayed on the screen.

The files were directly imported into Island Graphics' *IslandDraw*. File C204 was missing the boxes around the restricted text. File C205 had most of the entities placed in the lower right corner. They overlaid other entities. File C209 had some text overflow. Color was displayed where it added to initial files.

The files were imported into SPC's *Harvard Graphics 3.05* with all files except C208 reporting errors. The errors were line style, non-CGM entities, and non-converted entities. Files C204 displayed missing polygon sets and cell arrays. The text font was also incorrect. File C205 had missing entities. File C206 had many entities missing. Most of the lines in file C207 did not display or print. File C208 had many text overflows.



Attempts to read the files with the Micrografx *Designer* and Inset Systems' *HiJaak for Windows* did not work with a Run time error being displayed.

Per Beverly Bernard of Inset Systems, "The problems associated with *HiJaak for Windows v1.0* have been corrected with *HiJaak PRO v2.0*."

According to Michael Harrison of Micrografx, "Micrografx is aware of the problems associated with reading these files and is working on a solution to be implemented in a future release of our products."

All files were viewed using ATC's MetaView software. All files displayed with files C204 and C208 generating error messages. Files C204 and C208 also displayed font problems which are part of MetaView.

The CGM files were reported as meeting the CALS MIL-D-28003 specification.

## 8. Conclusions and Recommendations

In summary, the tape from Northrop Corporation correct. The tape could be read properly using the AFCTN *Tapetool* and TI version without any reported errors. The physical structure of the tape meets the CALS MIL-STD-1840A requirements.

The IGES files meet the CALS MIL-D-28000A specifications.

Because of reported errors in the Text file, the SGML part of this tape does not meet the CALS MIL-M-28001A specification.

The Type II Raster file could not be evaluated at the AFCTB.

The CGM files were reported as meeting the CALS MIL-D-28003 specification.

The tape does not meet the CALS MIL-STD-1840A requirements, because of minor errors in the text file.

## 9. Appendix A - Tapetool Report Logs

### 9.1 Tape Catalog

Air Force CALS Test Network Catalog Evaluation - Version 1.2; Release Number 8  
Standards referenced:

- MIL-STD-1840A (1987) - Automated Interchange of Technical Information
- ANSI X3.27 (1987) - File Structure and labeling of Magnetic Tapes  
for Information Interchange
- ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Sun Mar 7 14:42:44 1993  
MIL-STD-1840A File Catalog  
File Set Directory: /cals/tapetool8/Set070

Page: 1

File Name	File Type	Record Format/ Length	Block Length/Total	Selected/ Extracted
D001	Document Declaration	D/00260	02048/000001	Extracted
D002	Document Declaration	D/00260	02048/000001	Extracted
D003	Document Declaration	D/00260	02048/000001	Extracted
D001T001	Text	D/00260	02048/000001	Extracted
D001G002	DTD	D/00260	02048/000034	Extracted
D001H003	Output Specification	D/00260	02048/000001	Extracted
D001R004	Raster	F/00128	02048/000008	Extracted
D002T001	Text	D/00260	02048/000001	Extracted
D002G002	DTD	D/00260	02048/000034	Extracted
D002H003	Output Specification	D/00260	02048/000001	Extracted
D002C004	CGM	F/00080	00800/000006	Extracted
D002C005	CGM	F/00080	00800/000002	Extracted
D002C006	CGM	F/00080	00800/000002	Extracted
D002C007	CGM	F/00080	00800/000002	Extracted
D002C008	CGM	F/00080	00800/000002	Extracted
D003T001	Text	D/00260	02048/000001	Extracted
D003G002	DTD	D/00260	02048/000034	Extracted
D003H003	Output Specification	D/00260	02048/000001	Extracted
D003Q004	IGES	F/00080	02000/000012	Extracted
D003Q005	IGES	F/00080	02000/000573	Extracted
D003Q006	IGES	F/00080	02000/000033	Extracted
D003Q007	IGES	F/00080	02000/000042	Extracted

Catalog Process terminated normally.

---

## 9.2 Tape Evaluation Log

Air Force CALS Test Network Tape Evaluation - Version 1.2; Release Number 8

Standards referenced:

ANSI X3.27 (1987) - File Structure and labeling of Magnetic Tapes  
for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Sun Mar 7 14:42:02 1993

ANSI Tape Import Log

Allocating tape drive /dev/rmt0...

/dev/rmt0 allocated.

VOL1ITDS01

CONTROLLER

4

Label Identifier: VOL1  
Volume Identifier: ITDS01  
Volume Accessibility:  
Owner Identifier:  
Label Standard Version: 4

HDR1D001

ITDS0100010001000100 93057 93057 000000 CONTROLLER

Label Identifier: HDR1  
File Identifier: D001  
File Set Identifier: ITDS01  
File Section Number: 0001  
File Sequence Number: 0001  
Generation Number: 0001  
Generation Version Number: 00  
Creation Date: 93057  
Expiration Date: 93057  
File Accessibility:  
Block Count: 000000  
Implementation Identifier: CONTROLLER

HDR2D0204800260

00

Label Identifier: HDR2  
Recording Format: D  
Block Length: 02048  
Record Length: 00260  
Offset Length: 00

```
Label Identifier: HDR1
File Identifier: D003Q007
File Set Identifier: ITDS01
File Section Number: 0001
File Sequence Number: 0022
Generation Number: 0001
Generation Version Number: 00
```

---

Creation Date: 93057  
Expiration Date: 93057  
File Accessibility:  
Block Count: 000000  
Implementation Identifier: CONTROLLER

HDR2F0200000080

00

Label Identifier: HDR2  
Recording Format: F  
Block Length: 02000  
Record Length: 00080  
Offset Length: 00

\*\*\*\*\* Tape Mark \*\*\*\*\*

Actual Block Size Found = 2000 Bytes.

Number of data blocks read = 42.

\*\*\*\*\* Tape Mark \*\*\*\*\*

EOF1D003Q007 ITDS0100010022000100 93057 93057 000042 CONTROLLER

Label Identifier: EOF1  
File Identifier: D003Q007  
File Set Identifier: ITDS01  
File Section Number: 0001  
File Sequence Number: 0022  
Generation Number: 0001  
Generation Version Number: 00  
Creation Date: 93057  
Expiration Date: 93057  
File Accessibility:  
Block Count: 000042  
Implementation Identifier: CONTROLLER

EOF2F0200000080

00

Label Identifier: EOF2  
Recording Format: F  
Block Length: 02000  
Record Length: 00080  
Offset Length: 00

\*\*\*\*\* Tape Mark \*\*\*\*\*

\*\*\*\*\* Tape Mark \*\*\*\*\*

##### End of Volume ITDS01 #####

##### End Of Tape File Set #####

Deallocating /dev/rmt0...

Tape Import Process terminated with 0 error(s), 0 warning(s),  
and 0 note(s).

---

## 9.3 Tape File Set Validation Log

Air Force CALS Test Network File Set Evaluation - Version 1.2; Release Number 8

Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information

Sun Mar 7 14:42:44 1993

MIL-STD-1840A File Set Evaluation Log

File Set: Set070

Found file: D001

Extracting Document Declaration Header Records...

Evaluating Document Declaration Header Records...

srcsys: John P. Kent, ITDS Chief Engineer, Northrop Corporation, B-2 Division, L591/GK

srcdocid: STPRO25.11

srcrelid: NONE

chglvl: ORIGINAL

dteisu: 19930126

dstsys: Jeff Fisher, Integration Manager, USAF CALS Test Bed, HQ AFMC (I)/ENCT, Techne

dstdocid: CALS\_RAS\_TEST

dstrelid: NONE

dtetrn: 19930226

dlvacc: NONE

filcnt: T1, H1, G1, R1

ttlcls: UNCLASSIFIED

doccls: UNCLASSIFIED

doctyp: JOB GUIDE

docttl: graphics test

Found file: D001T001

Extracting Text Header Records...

Evaluating Text Header Records...

srcdocid: STPRO25.11

dstdocid: CALS\_RAS\_TEST

txtfilid: W

doccls: UNCLASSIFIED

notes: NONE

Saving Text Header File: D001T001\_HDR

Saving Text Data File: D001T001\_TXT

Found file: D001G002

Extracting DTD Header Records...



Evaluating DTD Header Records...

srcdocid: STPRO25.11  
dstdocid: CALS\_RAS\_TEST  
notes: NONE

Saving DTD Header File: D001G002\_HDR  
Saving DTD Data File: D001G002\_DTD

Found file: D001H003  
Extracting Output Specification Header Records...  
Evaluating Output Specification Header Records...

srcdocid: STPRO25.11  
dstdocid: CALS\_RAS\_TEST  
notes: NONE

Saving Output Specification Header File: D001H003\_HDR  
Saving Output Specification Data File: D001H003\_OS

Found file: D001R004  
Extracting Raster Header Records...  
Evaluating Raster Header Records...

srcdocid: STPRO25.11  
dstdocid: CALS\_RAS\_TEST  
txtfilid: W  
figid: NONE  
srcgph: test2.ras  
doccls: UNCLASSIFIED  
rtype: 2  
rorient: 000,270  
rpelcnt: 002560,003584  
rdensty: 0300  
notes: NONE

Saving Raster Header File: D001R004\_HDR  
Saving Raster Data File: D001R004\_GR4

Evaluating numbering scheme...  
No errors were encountered during numbering scheme evaluation.  
Numbering scheme evaluation complete.

Checking file count...  
No errors were encountered during file count verification.  
File Count verification complete.

---

No errors were encountered in Document D001.

Found file: D002

<<<<< PART OF LOG FILE REMOVED HERE >>>>>

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

No errors were encountered in Document D002.

Found file: D003

<<<<< PART OF LOG FILE REMOVED HERE >>>>>

Found file: D003Q007

Extracting IGES Header Records...

Evaluating IGES Header Records...

srcdocid: STPRO25.9

dstdocid: CALS\_IGES\_TEST

txtfilid: W

figid: NONE

srcgph: lgtable.igs

doccls: UNCLASSIFIED

notes: NONE

Saving IGES Header File: D003Q007\_HDR

Saving IGES Data File: D003Q007\_IGS

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

No errors were encountered in Document D003.

No errors were encountered in this File Set.

MIL-STD-1840A File Set Evaluation Complete.

---

## 10. Appendix B - Detailed IGES Analysis

### 10.1 File Q204

#### 10.1.1 Parser/Verifier Log

```
*** IGES DATA FILE ANALYSIS ***
***      MARCH 1992      ***
***   IGES Data Analysis   ***
***   (708) 449-3430      ***
```

Input file is /novell/9318/q304.igs

Checking conformance to CALS Class I (MIL-D-28000A 2/10/92)

Today is March 7, 1993 3:33 PM

#### \*\*\* File and Product Name Information \*\*\*

```
File name from sender      = 'apple2d.igs'
File creation Date.Time    = '930225.134248'
Model change Date.Time     = ''
Author                     = 'tom'
Department                 = 'GRAPHICS'
Product name from sender   = 'apple2d.igs'
Destination product name   = 'apple2d.igs'
```

#### \*\*\* Parameter Delimiters \*\*\*

```
Delimiter = ','
Terminator = ';'

```

#### \*\*\* Originating System Data \*\*\*

```
System ID          = 'ITDS CONVERTER: GEF_IGES'
Preprocessor version = '1.0'
Specification version = 6 (IGES 4.0)
```

#### \*\*\* Precision levels \*\*\*

```
Integer bits = 32
Floating point - Exponent = 38  Mantissa = 6
Double precision - Exponent = 308  Mantissa = 15
```

#### \*\*\* Global Model Data \*\*\*

Model scale = 1.0000E+00  
Unit flag = 1  
Units = 'IN'  
Line weights = 3  
Maximum line thickness = 1.152632E-02  
Minimum line thickness = 3.842107E-03  
Granularity = 1.000000E-03  
Maximum coordinate = 2.954101E+00

Drafting standard applicable to original data is not specified.

\*\*\* Status Flag Summary \*\*\*

Blank status:	Visible	41
	Blanked	0
Independence:	Independent	39
	Physically Subordinate	0
	Logically Subordinate	2
	Totally Subordinate	0
Entity use:	Geometry	39
	Annotation	2
	Definition	0
	Other	0
	Logical/Positional	0
	2D parametric	0
	Not Specified	0
Hierarchy:	Structure DE applies	0
	Subordinate DE applies	41
	Hierarchy property applies	0
	Not Specified	0

\*\*\* Entity Occurrence Counts \*\*\*

Entity	Form	Level	Count	Type
-----	----	-----	-----	----
106	11	0	24	Copious data - Piecewise planar, linear string(2D path)
106	63	0	8	Simple closed planar curve
110	0	0	6	Line
404	0	0	1	Drawing
406	16	0	1	Property - Drawing size

410            0            0            1        View - Orthographic parallel

\*\*\* Entity Count by Level \*\*\*

Level	Count
0	41

\*\*\* Labeling Information \*\*\*

0% of the entities are labeled.

Unlabeled	41
-----------	----

\*\*\* Line Fonts Used in Data \*\*\*

100	102	104	106	108	110	112	114	
-	-	-	-	-	-	-	-	Undefined
-	-	-	32	-	6	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined
116	118	120	122	124	125	126	128	
-	-	-	-	-	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined
130	132	134	136	138	140	142	144	
-	-	-	-	-	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

\*\*\* Line Widths Used in Data \*\*\*

---

Weight	Count	Width
Defaulted	31	(0.0038)
2	10	(0.0077)

\*\*\* Colors Used in Data \*\*\*

Defaulted	3
Red	8
Green	30

\*\*\*\*\*  
\*\*\*\*\* ENTITY ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

\*\*\* Entity type: 106

\*\*\* Entity type: 110

-- 6 lines averaging 1.362447E-01 units --

\*\*\* Entity type: 404

Drawing at D 5 contains 1 views.  
Drawing at D 5 contains 0 annotation entities.

\*\*\* Entity type: 406

\*\*\* Entity type: 410

Scale of view at D 1 is 1.000000E+00.  
Orthographic View entity at D 1 has 0 clipping planes specified.  
XMIN = Not Set XMAX = Not Set  
YMIN = Not Set YMAX = Not Set  
ZMIN = Not Set ZMAX = Not Set


\*\*\* Message Summary \*\*\*

\*\*\* Error Summary \*\*\*

0 fatal errors  
0 severe errors  
0 errors  
0 warnings  
0 cautions  
0 nitpicks  
0 notes


\*\*\* End of Analysis of /novell/9318/q304.igs \*\*\*

### 10.1.2 Output IGESWorks






### 10.1.3 Output IGESView



#### 10.1.4 Output iges2draw/IslandDraw



## 10.2 File Q205

### 10.2.1 Parser/Verifier Log

```
*** IGES DATA FILE ANALYSIS ***
***      MARCH 1992      ***
***  IGES Data Analysis  ***
***    (708) 449-3430    ***
```

Input file is /novell/9318/q305.igs

Checking conformance to CALS Class I (MIL-D-28000A 2/10/92)

Today is March 7, 1993 3:34 PM

#### \*\*\* File and Product Name Information \*\*\*

```
File name from sender    = 'classic2d.igs'
File creation Date.Time  = '930225.134304'
Model change Date.Time   = ''
Author                   = 'Boardhead'
Department                = 'WINDY'
Product name from sender = 'classic2d.igs'
Destination product name = 'classic2d.igs'
```

#### \*\*\* Parameter Delimiters \*\*\*

```
Delimiter = ','
Terminator = ';'

```

#### \*\*\* Originating System Data \*\*\*

```
System ID           = 'ITDS CONVERTER: GEF_IGES'
Preprocessor version = '1.0'
Specification version = 6 (IGES 4.0)
```

#### \*\*\* Precision levels \*\*\*

```
Integer bits = 32
Floating point - Exponent = 38  Mantissa = 6
Double precision - Exponent = 308  Mantissa = 15
```

#### \*\*\* Global Model Data \*\*\*

```
Model scale          = 1.0000E+00
Unit flag             = 2
```

Units = 'MM'  
 Line weights = 3  
 Maximum line thickness = 3.520439E+00  
 Minimum line thickness = 1.173480E+00  
 Granularity = 1.000000E-03  
 Maximum coordinate = 8.782127E+02

Drafting standard applicable to original data is not specified.

\*\*\* Status Flag Summary \*\*\*

Blank status:	Visible	2988
	Blanked	0
Independence:	Independent	2986
	Physically Subordinate	0
	Logically Subordinate	2
	Totally Subordinate	0
Entity use:	Geometry	2518
	Annotation	470
	Definition	0
	Other	0
	Logical/Positional	0
	2D parametric	0
	Not Specified	0
Hierarchy:	Structure DE applies	0
	Subordinate DE applies	2988
	Hierarchy property applies	0
	Not Specified	0

\*\*\* Entity Occurrence Counts \*\*\*

Entity	Form	Level	Count	Type
-----	-----	-----	-----	-----
100	0	0	242	Circular arc
104	1	0	15	Conic arc - ellipse
106	11	0	123	Copious data - Piecewise planar, linear string(2D path)
106	63	0	82	Simple closed planar curve
110	0	0	2024	Line
112	0	0	16	Parametric spline curve
124	0	0	15	Transformation matrix
212	0	0	468	General note

404	0	0	1	Drawing
406	16	0	1	Property - Drawing size
410	0	0	1	View - Orthographic parallel

\*\*\* Entity Count by Level \*\*\*

Level	Count
0	2988

\*\*\* Labeling Information \*\*\*

0% of the entities are labeled.

Unlabeled 2988

\*\*\* Line Fonts Used in Data \*\*\*

100	102	104	106	108	110	112	114	
-	-	-	-	-	-	-	-	Undefined
237	-	15	205	-	1765	16	-	Solid
4	-	-	-	-	97	-	-	Dashed
1	-	-	-	-	145	-	-	Phantom
-	-	-	-	-	17	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined
116	118	120	122	124	125	126	128	
-	-	-	-	15	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined
130	132	134	136	138	140	142	144	
-	-	-	-	-	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

---

\*\*\* Line Widths Used in Data \*\*\*

Weight	Count	Width
Defaulted	486	(1.1735)
2	2179	(2.3470)
1	323	(1.1735)

\*\*\* Colors Used in Data \*\*\*

Defaulted	18
Red	965
Green	8
Blue	106
Yellow	1765
Magenta	65
White	61

\*\*\*\*\*  
\*\*\*\*\* ENTITY ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

\*\*\* Entity type: 100

\*\*\* Entity type: 104

WARNING 2265: Start point off conic by 8.961375E-03 at D 381.  
WARNING 2039: End point off conic by 2.300953E-02 at D 381.

<<<< PART OF LOG REMOVED HERE >>>>

\*\*\* Entity type: 106

\*\*\* Entity type: 110

-- 2024 lines averaging 1.694140E+01 units --

\*\*\* Entity type: 112

\*\*\* Entity type: 124

---

15 transformation matrices, 15 non-zero translations. NOTE 2341: 15  
matrices contain translation information.

\*\*\* Entity type: 212

468 text strings in data file. Average text aspect ratio in file is  
1.0159167. Minimum text aspect ratio in file is 0.7623555. Maximum  
text aspect ratio in file is 1.1000000.

FONTS USED IN FILE

FONT	COUNT	NAME
------	-------	------

1	468	Default ASCII Style
---	-----	---------------------

\*\*\* Entity type: 404

Drawing at D 5 contains 1 views. Drawing at D 5 contains 0  
annotation entities.

\*\*\* Entity type: 406

\*\*\* Entity type: 410

Scale of view at D 1 is 1.000000E+00. Orthographic View entity at D  
1 has 0 clipping planes specified. XMIN = Not Set XMAX = Not Set YMIN  
= Not Set YMAX = Not Set ZMIN = Not Set ZMAX = Not Set

\*\*\* Message Summary \*\*\*


2015: 18 Mathematically incorrect definitions.

\*\*\* Error Summary \*\*\*

0 fatal errors 0 severe errors 0 errors 18 warnings 0 cautions 0  
nitpicks 1 notes


\*\*\* End of Analysis of /novell/9318/q305.igs \*\*\*

## 10.2.2 Output IGESWorks





## 10.2.3 Output IGESView



---

## 10.3 File Q206

### 10.3.1 Parser/Verifier Log

```
*** IGES DATA FILE ANALYSIS ***
***      MARCH 1992      ***
***  IGES Data Analysis  ***
***    (708) 449-3430    ***
```

Input file is /novell/9318/q306.igs

Checking conformance to CALS Class I (MIL-D-28000A 2/10/92)

Today is March 7, 1993 3:34 PM

\*\*\* File and Product Name Information \*\*\*

```
File name from sender    = 'identity.igs'
File creation Date.Time  = '930225.134222'
Model change Date.Time   = ''
Author                   = 'KASSEL'
Department                = 'Air Force CALS Test Network'
Product name from sender = 'identity.igs'
Destination product name = 'identity.igs'
```

\*\*\* Parameter Delimiters \*\*\*

```
Delimiter = ','
Terminator = ';'

```

\*\*\* Originating System Data \*\*\*

```
System ID          = 'ITDS CONVERTER: GEF_IGES'
Preprocessor version = '1.0'
Specification version = 6 (IGES 4.0)
```

\*\*\* Precision levels \*\*\*

```
Integer bits = 32
Floating point - Exponent = 38  Mantissa = 6
Double precision - Exponent = 308  Mantissa = 15
```

\*\*\* Global Model Data \*\*\*

```
Model scale          = 1.0000E+00
Unit flag             = 1
```

Units = 'IN'  
 Line weights = 1  
 Maximum line thickness = 1.680104E-02  
 Minimum line thickness = 1.680104E-02  
 CAUTION 2317: Maximum line thickness equal to minimum thickness.  
 Granularity = 1.000000E-03  
 Maximum coordinate = 1.690002E+01

Drafting standard applicable to original data is not specified.

\*\*\* Status Flag Summary \*\*\*

Blank status:	Visible	200
	Blanked	0
Independence:	Independent	185
	Physically Subordinate	12
	Logically Subordinate	3
	Totally Subordinate	0
Entity use:	Geometry	67
	Annotation	132
	Definition	1
	Other	0
	Logical/Positional	0
	2D parametric	0
	Not Specified	0
Hierarchy:	Structure DE applies	0
	Subordinate DE applies	200
	Hierarchy property applies	0
	Not Specified	0

\*\*\* Entity Occurrence Counts \*\*\*

Entity	Form	Level	Count	Type
-----	----	-----	-----	-----
100	0	0	3	Circular arc
102	0	0	1	Composite curve
104	1	0	2	Conic arc - ellipse
104	2	0	1	Conic arc - hyperbola
104	3	0	1	Conic arc - parabola
106	11	0	1	Copious data - Piecewise planar, linear string(2D path)
106	63	0	1	Simple closed planar curve

110	0	0	27	Line
112	0	0	2	Parametric spline curve
124	0	0	12	Transformation matrix
126	0	0	6	Rational B-spline curve
212	0	0	129	General note
230	0	0	1	Sectioned area (Standard Crosshatching)
308	0	0	1	Subfigure definition
404	0	0	1	Drawing
406	16	0	1	Property - Drawing size
406	18	0	1	Property - Intercharacter spacing
408	0	0	8	Single subfigure instance
410	0	0	1	View - Orthographic parallel

\*\*\* Entity Count by Level \*\*\*

Level	Count
0	200

\*\*\* Labeling Information \*\*\*

0% of the entities are labeled.

Unlabeled	200
-----------	-----

\*\*\* Line Fonts Used in Data \*\*\*

100	102	104	106	108	110	112	114	
-	-	-	-	-	-	-	-	Undefined
3	1	4	2	-	27	2	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined
116	118	120	122	124	125	126	128	
-	-	-	-	12	-	-	-	Undefined
-	-	-	-	-	-	6	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

130	132	134	136	138	140	142	144	
-	-	-	-	-	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

\*\*\* Line Widths Used in Data \*\*\*

Weight	Count	Width
Defaulted	200	(0.0168)

\*\*\* Colors Used in Data \*\*\*

Defaulted	25
Red	175

\*\*\*\*\*  
\*\*\*\*\* ENTITY ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

\*\*\* Entity type: 100

\*\*\* Entity type: 102

\*\*\* Entity type: 104

WARNING 2265: Start point off conic by 2.666563E-03 at D 23.  
WARNING 2265: Start point off conic by 1.456414E-03 at D 27.

\*\*\* Entity type: 106

\*\*\* Entity type: 110

-- 27 lines averaging 7.155336E+00 units --

\*\*\* Entity type: 112

---

\*\*\* Entity type: 124

12 transformation matrices, 4 non-zero translations.  
NOTE 2341: 4 matrices contain translation information.

\*\*\* Entity type: 126

\*\*\* Entity type: 212

129 text strings in data file.  
Average text aspect ratio in file is 0.9982937.  
Minimum text aspect ratio in file is 0.7978667.  
Maximum text aspect ratio in file is 1.4857143.

FONT'S USED IN FILE

FONT	COUNT	NAME
1	127	Default ASCII Style
1002	2	Symbol Font 2

\*\*\* Entity type: 230

\*\*\* Entity type: 308

Subfigure name at D 19: 'subfig0'.  
Number of included entities = 6.

\*\*\* Entity type: 404

Drawing at D 5 contains 1 views.  
Drawing at D 5 contains 0 annotation entities.

\*\*\* Entity type: 406

\*\*\* Entity type: 408

Subfigure instance at D	363 references subfigure at D	19.
Subfigure instance at D	373 references subfigure at D	19.
Subfigure instance at D	377 references subfigure at D	19.
Subfigure instance at D	381 references subfigure at D	19.
Subfigure instance at D	385 references subfigure at D	19.
Subfigure instance at D	389 references subfigure at D	19.

---

Subfigure instance at D    393 references subfigure at D    19.  
Subfigure instance at D    397 references subfigure at D    19.

\*\*\* Entity type: 410

Scale of view at D        1 is 1.000000E+00.  
Orthographic View entity at D        1 has 0 clipping planes specified.  
XMIN = Not Set        XMAX = Not Set  
YMIN = Not Set        YMAX = Not Set  
ZMIN = Not Set        ZMAX = Not Set

\*\*\* Message Summary \*\*\*









































2015: 2 Mathematically incorrect definitions.  
2018: 1 Problems with line weight/width display information.

\*\*\* Error Summary \*\*\*

0 fatal errors  
0 severe errors  
0 errors  
2 warnings  
1 cautions  
0 nitpicks  
1 notes

\*\*\* End of Analysis of /novell/9318/q306.igs \*\*\*





































## 10.3.2 Output IGESWorks

							
CIRCULAR ARC SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SLOPED LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	VERTICAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	HORIZONTAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	GREATER THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	LESS THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	EQUAL SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SQUARE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21
							
VERTICAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SLOPED LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	CIRCULAR ARC SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	HORIZONTAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	GREATER THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	LESS THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	EQUAL SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SQUARE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21
							
GREATER THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SLOPED LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	VERTICAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	HORIZONTAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	GREATER THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	LESS THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	EQUAL SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SQUARE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21
							
VERTICAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SLOPED LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	CIRCULAR ARC SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	HORIZONTAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	GREATER THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	LESS THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	EQUAL SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SQUARE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21
							
VERTICAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SLOPED LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	CIRCULAR ARC SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	HORIZONTAL LINE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	GREATER THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	LESS THAN SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	EQUAL SYMBOL SYMBOL AND ITS NAME FROM PAGE 21	SQUARE SYMBOL SYMBOL AND ITS NAME FROM PAGE 21





## 10.3.4 Output iges2draw/IslandDraw

 CIRCULAR ARC (100)	 COMPOSITE CURVE (100)	 CONIC ARC - GENERAL (104 FORM 0)	 CONIC ARC - ELLIPSE (104 FORM 1)	 CONIC ARC - HYPERBOLA (104 FORM 2)	 CONIC ARC - PARABOLA (104 FORM 3)	 LINEAR PLANAR CURVE (108 FORM 1)	 SAMPLE CLOSED AREA (108 FORM 0)
 LINE (110)	 PARAMETRIC SPLINE CURVE (110)	 TRANSFORMATION MATRIX (114 FORM 0)	 RATIONAL B-SPLINE CURVE (120 FORM 0)	 RATIONAL B-SPLINE CURVE (120 FORM 1)	 RATIONAL B-SPLINE CURVE (120 FORM 2)	 RATIONAL B-SPLINE CURVE (120 FORM 3)	 RATIONAL B-SPLINE CURVE (120 FORM 4)
 RATIONAL B-SPLINE CURVE (120 FORM 5)	 SIMPLE GENERAL NOTE - SAMPLE (212 FORM 0)	 DUAL STACK NOTE - DUAL STACK (212 FORM 1)	 IM-4+DED NOTE - EMBEDDED POINT CHANGE (212 FORM 2)	 S-SUPER NOTE - SUPERSCRIPT (212 FORM 3)	 S-SUB NOTE - SUBSCRIPT (212 FORM 4)	 S-SUPER NOTE - SUPERSCRIPT (212 FORM 5)	 M-stack LEFT NOTE - MULTI STACK LEFT JUST (212 FORM 6)
 M-stack CENTER NOTE - MULTI STACK CENTER JUST (212 FORM 7)	 M-stack RIGHT NOTE - MULTI STACK RIGHT JUST (212 FORM 8)	 FRACTION NOTE - SIMPLE FRACTION (212 FORM 100)	 DUAL TO STACK BOTTOM NOTE - DUAL STACK FRACTION (212 FORM 101)	 IM-BED NOTE - FRACTION (212 FORM 102)	 FR-SUP NOTE - SUPERSCRIPT (212 FORM 103)	 SECTIONED AREA (220)	 SPACING INTER CHARACTER SPACING (220 FORM 10)
 SINGLE B-SPLINE INSTANCE (400)	 RECTANGULAR B-SPLINE INSTANCE (410)	 CIRCULAR B-SPLINE INSTANCE (411)					 OAS TEST NETWORK MIL-D-28000 CLASS I REFERENCE DRAWING IDENTITY

## 10.4 File Q207

### 10.4.1 Parser/Verifier Log

```
*** IGES DATA FILE ANALYSIS ***
***      MARCH 1992      ***
***  IGES Data Analysis  ***
***    (708) 449-3430    ***
```

Input file is /novell/9318/q307.igs

Checking conformance to CALS Class I (MIL-D-28000A 2/10/92)

Today is March 7, 1993 3:34 PM

\*\*\* File and Product Name Information \*\*\*

```
File name from sender      = 'lgtable.igs'
File creation Date.Time    = '930225.134240'
Model change Date.Time     = ''
Author                     = 'FARRELL'
Department                  = 'Air Force CALS Test Network'
Product name from sender   = 'lgtable.igs'
Destination product name   = 'lgtable.igs'
```

\*\*\* Parameter Delimiters \*\*\*

```
Delimiter = ','
Terminator = ';'

```

\*\*\* Originating System Data \*\*\*

```
System ID          = 'ITDS CONVERTER: GEF_IGES'
Preprocessor version = '1.0'
Specification version = 6 (IGES 4.0)
```

\*\*\* Precision levels \*\*\*

```
Integer bits = 32
Floating point - Exponent = 38  Mantissa = 6
Double precision - Exponent = 308  Mantissa = 15
```

\*\*\* Global Model Data \*\*\*

```
Model scale          = 1.0000E+00
Unit flag            = 1
```

---

Units = 'IN'  
 Line weights = 5  
 Maximum line thickness = 4.735348E-02  
 Minimum line thickness = 9.470696E-03  
 Granularity = 1.000000E-03  
 Maximum coordinate = 9.391507E+00

Drafting standard applicable to original data is not specified.

\*\*\* Status Flag Summary \*\*\*

Blank status:	Visible	280
	Blanked	0
Independence:	Independent	267
	Physically Subordinate	11
	Logically Subordinate	2
	Totally Subordinate	0
Entity use:	Geometry	226
	Annotation	54
	Definition	0
	Other	0
	Logical/Positional	0
	2D parametric	0
	Not Specified	0
Hierarchy:	Structure DE applies	0
	Subordinate DE applies	280
	Hierarchy property applies	0
	Not Specified	0

\*\*\* Entity Occurrence Counts \*\*\*

Entity	Form	Level	Count	Type
-----	----	-----	-----	-----
100	0	0	85	Circular arc
102	0	0	2	Composite curve
104	1	0	5	Conic arc - ellipse
110	0	0	116	Line
112	0	0	12	Parametric spline curve
124	0	0	5	Transformation matrix
212	0	0	47	General note
230	0	0	5	Sectioned area (Standard Crosshatching)
404	0	0	1	Drawing

406	16	0	1	Property - Drawing size
410	0	0	1	View - Orthographic parallel

\*\*\* Entity Count by Level \*\*\*

Level	Count
0	280

\*\*\* Labeling Information \*\*\*

0% of the entities are labeled.

Unlabeled	280
-----------	-----

\*\*\* Line Fonts Used in Data \*\*\*

100	102	104	106	108	110	112	114	
-	-	-	-	-	-	-	-	Undefined
85	2	5	-	-	107	12	-	Solid
-	-	-	-	-	9	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined
116	118	120	122	124	125	126	128	
-	-	-	-	5	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined
130	132	134	136	138	140	142	144	
-	-	-	-	-	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

\*\*\* Line Widths Used in Data \*\*\*

Weight	Count	Width
Defaulted	73	(0.0095)
3	22	(0.0284)
2	123	(0.0189)
4	62	(0.0379)

\*\*\* Colors Used in Data \*\*\*

Defaulted	196
Blue	22
Cyan	62

\*\*\*\*\*  
\*\*\*\*\* ENTITY ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

\*\*\* Entity type: 100

\*\*\* Entity type: 102

\*\*\* Entity type: 104

WARNING 2265: Start point off conic by 7.999625E-03 at D 73.  
WARNING 2265: Start point off conic by 1.788987E-02 at D 81.  
WARNING 2039: End point off conic by 1.581491E-03 at D 81.  
WARNING 2265: Start point off conic by 1.594810E-02 at D 141.  
WARNING 2265: Start point off conic by 3.114898E-02 at D 191.

\*\*\* Entity type: 110

-- 116 lines averaging 5.326830E-01 units --

\*\*\* Entity type: 112

\*\*\* Entity type: 124

5 transformation matrices, 5 non-zero translations.

NOTE 2341: 5 matrices contain translation information.

\*\*\* Entity type: 212

47 text strings in data file.  
Average text aspect ratio in file is 0.7899129.  
Minimum text aspect ratio in file is 0.7580039.  
Maximum text aspect ratio in file is 1.0525425.

FONTS USED IN FILE

FONT	COUNT	NAME
1	47	Default ASCII Style

\*\*\* Entity type: 230

\*\*\* Entity type: 404

Drawing at D 5 contains 1 views.  
Drawing at D 5 contains 0 annotation entities.

\*\*\* Entity type: 406

\*\*\* Entity type: 410

Scale of view at D 1 is 1.000000E+00.  
Orthographic View entity at D 1 has 0 clipping planes specified.  
XMIN = Not Set XMAX = Not Set  
YMIN = Not Set YMAX = Not Set  
ZMIN = Not Set ZMAX = Not Set

\*\*\* Message Summary \*\*\*

2015: 5 Mathematically incorrect definitions.


\*\*\* Error Summary \*\*\*

0 fatal errors  
0 severe errors  
0 errors  
5 warnings  
0 cautions  
0 nitpicks  
1 notes

\*\*\* End of Analysis of /novell/9318/q307.igs \*\*\*



---

## 10.4.2 Output IGESWorks







### 10.4.3 Output IGESView



52Z-C007		ESSENTIAL CIRCUIT BREAKER PANEL NO. 1		(24-50-12)
REF DES	ZONE	NOMENCLATURE		BUS
41080033	L1	R MEG NOW PWR	28VDC	ESS 28VDC
41080034	M1	L MEG NOW PWR	28VDC	ESS 28VDC
42080035	N1	LOG GR POS NO	28VDC	ESS 28VDC

#### 10.4.4 Output iges2draw/IslandDraw



52Z-C007

52Z-C007		ESSENTIAL CIRCUIT BREAKER PANEL NO. 1		(24-50-T)
REF DES	ZONE	NOMENCLATURE		BUS
41CBC033	L1	R MLG WOW PWR	28VDC	ESS 28VDC
41CBC034	M1	L MLG WOW PWR	28VDC	ESS 28VDC
42CBC005	N1	LDG GR POS IND	28VDC	ESS 28VDC

## 11. Appendix C - Detailed SGML Analysis

### 11.1 Datalogics Parser Log

SGML Document Type Definition Parser  
Version 3.36

Copyright (c) Datalogics 1988, 1989, 1990, 1991  
An SGML System Conforming to  
International Standard ISO 8879  
Standard Generalized Markup Language

Log file: '9316.LOG'  
SDO File: 'ctndekl.sdo'  
Namecase General is yes.  
Namecase Entity is no.  
Parsing DTD file: '9316.dtd'

DTD0095: Start tag for element 'DATABASE' cannot be omitted if the  
element had declared content (CDATA, RCDATA, EMPTY).  
DTD0095: Start tag for element 'MEDIUM' cannot be omitted if the  
element had declared content (CDATA, RCDATA, EMPTY).  
DTD0096: The generic ID SHORTTITLE has not been used in any content  
model, inclusion, or as a doctype element.  
DTD0096: The generic ID CONTASSURPG has not been used in any content  
model, inclusion, or as a doctype element.  
DTD0096: The generic ID REFDOC has not been used in any content  
model, inclusion, or as a doctype element.  
DTD0096: The generic ID CFGPGE has not been used in any content  
model, inclusion, or as a doctype element.  
DTD0096: The generic ID COVERINDEX has not been used in any content  
model, inclusion, or as a doctype element.  
DTD0096: The generic ID STALOC has not been used in any content  
model, inclusion, or as a doctype element.  
DTD0096: The generic ID TESTCODE has not been used in any content  
model, inclusion, or as a doctype element.  
This DTD conforms to the ISO 8879 standard

DTO file '9316.DTO' created

closing statistics:  
Capacity points: 71912  
Bytes of DTO file string space: 12664  
SGML descriptor blocks: 7101

Document Type Definition is compliant and parsed normally.  
Program status code: 0.

---

## 12. Appendix E - Detailed CGM Analysis

### 12.1 File C204

#### 12.1.1 Parser Log MetaCheck

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:03

Metafile Examined : i:\9318\c204.cgm

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

===== Trace Report =====

Tracing not selected.

===== CGM Conformance Violation Report =====

No Errors Detected

===== CALS CGM Profile (MIL-D-28003) Report =====

No profile discrepancies detected.

===== Conformance Summary Report =====

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:05

Name of CGM under test: i:\9318\c204.cgm

Encoding : Binary

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

BEGIN METAFILE string : "allreal.cgm"

METAFILE DESCRIPTION : "NORTHROP B2 ITDS GEF, MIL-D-28003/BASIC-1"

Picture 1 starts at octet offset 202; string contains: "Picture 1"

Conformance Summary : This file conforms to the CGM specification.

This file meets the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested  
272 Elements Tested  
3980 Octets Tested

```
=====
|   No Errors Were Detected   |
=====
```

===== End of Conformance Report =====


## 12.1.2 validcgm Log

Analysis for file c204.cgm using table table  
ERROR: illegal in this state (2), std B  
ERROR: required precursor (0, 4) not yet seen  
(14.1, 0) (3, 6, 2) Clip Indicator OFF  
MILSPEC 28003 error: illegal hatch index  
(173, 2354) (5, 24, 2) Hatch Index 6  
(0, 1) occurred 1 time  
(0, 2) occurred 1 time  
(0, 3) occurred 1 time  
(0, 4) occurred 1 time  
(0, 5) occurred 1 time  
(1, 1) occurred 1 time  
(1, 2) occurred 1 time  
(1, 3) occurred 1 time  
(1, 4) occurred 1 time  
(1, 5) occurred 1 time  
(1, 6) occurred 1 time  
(1, 7) occurred 1 time  
(1, 8) occurred 1 time  
(1, 9) occurred 1 time  
(1, 10) occurred 1 time  
(1, 11) occurred 1 time  
(1, 12) occurred 1 time  
(1, 13) occurred 1 time  
(2, 2) occurred 1 time

---



























(2, 6) occurred 1 time  
(2, 7) occurred 1 time  
(3, 2) occurred 1 time  
(3, 6) occurred 1 time  
(3, 6) occurred illegally 1 time  
(4, 1) occurred 32 times  
(4, 3) occurred 5 times  
(4, 4) occurred 50 times  
(4, 7) occurred 3 times  
(4, 9) occurred 1 time  
(4, 12) occurred 2 times  
(4, 15) occurred 3 times  
(4, 16) occurred 2 times  
(4, 17) occurred 2 times  
(4, 18) occurred 2 times  
(4, 19) occurred 1 time  
(5, 2) occurred 17 times  
(5, 3) occurred 17 times  
(5, 4) occurred 17 times  
(5, 6) occurred 5 times  
(5, 7) occurred 5 times  
(5, 8) occurred 5 times  
(5, 10) occurred 3 times  
(5, 12) occurred 5 times  
(5, 13) occurred 1 time  
(5, 14) occurred 7 times  
(5, 15) occurred 5 times  
(5, 16) occurred 7 times  
(5, 17) occurred 4 times  
(5, 18) occurred 1 time  
(5, 22) occurred 10 times  
(5, 23) occurred 8 times  
(5, 24) occurred 7 times  
(5, 27) occurred 2 times  
(5, 28) occurred 2 times  
(5, 29) occurred 2 times  
(5, 30) occurred 10 times  
(5, 31) occurred 7 times  
(5, 34) occurred 1 time

## 12.1.3 Output Harvard Graphics





















9318 - HG305 - C204

## 12.1.4 Output IslandDraw

			 	  	
POLYLINE	(2) DISJOINT POLYLINE	(3) POLYMARKER	(4) TEXT	(5) RESTRICTED TEXT	(6) APPEND TEXT
					
POLYGON	(8) POLYGON SET	(9) CELL ARRAY	(11) RECTANGLE	(12) CIRCLE	(13) CIRCULAR ARC 3 POINT
					
(14) CIRCULAR ARC 3 POINT CLOSE	(15) CIRCULAR ARC CENTRE	(16) CIRCULAR ARC CENTRE CLOSE	(17) ELLIPSE	(18) ELLIPTICAL ARC	(19) ELLIPTICAL ARC CLOSE
LINE TYPE     				CALS TEST NETWORK MIL-D-28003 Computer Graphics Metafile File: CTN-01Rd, 91-10-03	



## 12.1.5 Output cgm2draw/IslandDraw

					
1) POLYLINE	(2) DISJOINT POLYLINE	(3) POLYMARKER	(4) TEXT	(5) RESTRICTED TEXT	(6) APPEND TEXT
					
7) POLYGON	(8) POLYGON SET	(9) CELL ARRAY	(11) RECTANGLE	(12) CIRCLE	(13) CIRCULAR ARC 3 PC
					
14) CIRCULAR ARC 3 POINT CLOSE	(15) CIRCULAR ARC CENTRE	(16) CIRCULAR ARC CENTRE CLOSE	(17) ELLIPSE	(18) ELLIPTICAL ARC	(19) ELLIPTIC ARC CLOSE
LINE TYPE 1. _____ 2. _____ 3. _____ 4. _____ 5. _____				CALS TEST NETWORK MIL-D-28003 Computer Graphics Metafile File: CTN-01Rd, 91-10-03	

## 12.2 File C205

### 12.2.1 Parser Log MetaCheck

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:13

Metafile Examined : i:\9318\c205.cgm

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

===== Trace Report =====

Tracing not selected.

===== CGM Conformance Violation Report =====

No Errors Detected

===== CALS CGM Profile (MIL-D-28003) Report =====

No profile discrepancies detected.

===== Conformance Summary Report =====

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:15

Name of CGM under test: i:\9318\c205.cgm

Encoding : Binary

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

BEGIN METAFILE string : "arcs.cgm"

METAFILE DESCRIPTION : "NORTHROP B2 ITDS GEF, MIL-D-28003/BASIC-1"

Picture 1 starts at octet offset 154; string contains: "Picture 1"

Conformance Summary : This file conforms to the CGM specification.

---

---

This file meets the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested  
62 Elements Tested  
942 Octets Tested

```
=====
|   No Errors Were Detected   |
=====
```

===== End of Conformance Report =====

## 12.2.2 validcgm Log

Analysis for file c205.cgm using table table

ERROR: illegal in this state (2), std B

ERROR: required precursor (0, 4) not yet seen

(14.1, 0) (3, 6, 2) Clip Indicator OFF

(0, 1) occurred 1 time

(0, 2) occurred 1 time

(0, 3) occurred 1 time

(0, 4) occurred 1 time

(0, 5) occurred 1 time

(1, 1) occurred 1 time

(1, 2) occurred 1 time

(1, 3) occurred 1 time

(1, 4) occurred 1 time

(1, 5) occurred 1 time

(1, 6) occurred 1 time

(1, 7) occurred 1 time

(1, 8) occurred 1 time

(1, 9) occurred 1 time

(1, 10) occurred 1 time

(1, 11) occurred 1 time

(1, 12) occurred 1 time

(1, 13) occurred 1 time

(2, 2) occurred 1 time

(2, 6) occurred 1 time

(2, 7) occurred 1 time

(3, 2) occurred 1 time


(3, 6) occurred 1 time

(3, 6) occurred illegally 1 time

(4, 1) occurred 2 times  
(4, 3) occurred 3 times  
(4, 12) occurred 5 times  
(4, 15) occurred 4 times  
(4, 17) occurred 4 times  
(4, 18) occurred 2 times  
(5, 2) occurred 5 times  
(5, 3) occurred 5 times  
(5, 4) occurred 4 times  
(5, 6) occurred 2 times  
(5, 7) occurred 1 time  
(5, 8) occurred 1 time  
(5, 22) occurred 1 time  
(5, 23) occurred 1 time  
(5, 34) occurred 1 time


---

### 12.2.3 Output Harvard Graphics




9318 - HG305 - C205

## 12.2.4 Output IslandDraw



### 12.2.5 Output cgm2draw/IslandDraw



## 12.3 File C206

### 12.3.1 Parser Log MetaCheck

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:22

Metafile Examined : i:\9318\c206.cgm

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

===== Trace Report =====

Tracing not selected.

===== CGM Conformance Violation Report =====

No Errors Detected

===== CALS CGM Profile (MIL-D-28003) Report =====

No profile discrepancies detected.

===== Conformance Summary Report =====

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:24

Name of CGM under test: i:\9318\c206.cgm

Encoding : Binary

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

BEGIN METAFILE string : "fills.cgm"

METAFILE DESCRIPTION : "NORTHROP B2 ITDS GEF, MIL-D-28003/BASIC-1"

Picture 1 starts at octet offset 154; string contains: "Picture 1"

Conformance Summary : This file conforms to the CGM specification.

---



---

This file meets the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested  
56 Elements Tested  
856 Octets Tested

```
=====
|   No Errors Were Detected   |
=====
```



===== End of Conformance Report =====

## 12.3.2 validcgm Log

Analysis for file c206.cgm using table table  
ERROR: illegal in this state (2), std B  
ERROR: required precursor (0, 4) not yet seen  
(14.1, 0) (3, 6, 2) Clip Indicator OFF  
(0, 1) occurred 1 time  
(0, 2) occurred 1 time  
(0, 3) occurred 1 time  
(0, 4) occurred 1 time  
(0, 5) occurred 1 time  
(1, 1) occurred 1 time  
(1, 2) occurred 1 time  
(1, 3) occurred 1 time  
(1, 4) occurred 1 time  
(1, 5) occurred 1 time  
(1, 6) occurred 1 time  
(1, 7) occurred 1 time  
(1, 8) occurred 1 time  
(1, 9) occurred 1 time  
(1, 10) occurred 1 time  
(1, 11) occurred 1 time  
(1, 12) occurred 1 time  
(1, 13) occurred 1 time  
(2, 2) occurred 1 time  
(2, 6) occurred 1 time  
(2, 7) occurred 1 time  
(3, 2) occurred 1 time  
(3, 6) occurred 1 time  
(3, 6) occurred illegally 1 time

(4, 1) occurred 1 time  
(4, 7) occurred 2 times  
(4, 12) occurred 2 times  
(4, 16) occurred 2 times  
(4, 17) occurred 2 times  
(4, 19) occurred 2 times  
(5, 2) occurred 1 time  
(5, 3) occurred 1 time  
(5, 4) occurred 1 time  
(5, 22) occurred 6 times  
(5, 23) occurred 6 times  
(5, 24) occurred 1 time  
(5, 30) occurred 6 times  
(5, 31) occurred 1 time  
(5, 34) occurred 1 time


### 12.3.3 Output Harvard Graphics




9318 - HG305 - C206

---

### 12.3.4 Output IslandDraw



### 12.3.5 Output cgm2draw/IslandDraw



---

## 12.4 File C207

### 12.4.1 Parser Log MetaCheck

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:32

Metafile Examined : i:\9318\c207.cgm

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

===== Trace Report =====

Tracing not selected.

===== CGM Conformance Violation Report =====

No Errors Detected

===== CALS CGM Profile (MIL-D-28003) Report =====

No profile discrepancies detected.

===== Conformance Summary Report =====

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:33

Name of CGM under test: i:\9318\c207.cgm

Encoding : Binary

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

BEGIN METAFILE string : "lines.cgm"

METAFILE DESCRIPTION : "NORTHROP B2 ITDS GEF, MIL-D-28003/BASIC-1"

Picture 1 starts at octet offset 130; string contains: "Picture 1"

Private values encountered in CGM

---

---

Conformance Summary : This file conforms to the CGM specification.

This file meets the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested  
71 Elements Tested  
664 Octets Tested

```
=====
|   No Errors Were Detected   |
=====
```

===== End of Conformance Report =====

## 12.4.2 validcgm Log

Analysis for file c207.cgm using table table

ERROR: illegal in this state (2), std B

ERROR: required precursor (0, 4) not yet seen

(13.1, 0) (3, 6, 2) Clip Indicator OFF

(0, 1) occurred 1 time  
(0, 2) occurred 1 time  
(0, 3) occurred 1 time  
(0, 4) occurred 1 time  
(0, 5) occurred 1 time  
(1, 1) occurred 1 time  
(1, 2) occurred 1 time  
(1, 3) occurred 1 time  
(1, 4) occurred 1 time  
(1, 5) occurred 1 time  
(1, 6) occurred 1 time  
(1, 7) occurred 1 time  
(1, 8) occurred 1 time  
(1, 9) occurred 1 time  
(1, 10) occurred 1 time  
(1, 11) occurred 1 time  
(1, 12) occurred 1 time  
(2, 2) occurred 1 time  
(2, 6) occurred 1 time  
(2, 7) occurred 1 time  
(3, 2) occurred 1 time  
(3, 6) occurred 1 time

(3, 6) occurred illegally 1 time  
(4, 1) occurred 14 times  
(5, 2) occurred 12 times  
(5, 3) occurred 12 times  
(5, 4) occurred 12 times  
(5, 34) occurred 1 time



### **12.4.3 Output Harvard Graphics**

---

**9318 - HG305 - C207**

[illegible]

## This image shows a full page of blank primary-ruled paper. It features ten sets of horizontal lines across the page. Each set consists of two solid black lines forming the outer boundaries, with a dashed black line centered between them. This layout is typical for teaching handwriting or basic composition to young students. The paper is otherwise completely blank, with no margins, text, or other markings.

---

## 12.5 File C208

### 12.5.1 Parser Log MetaCheck

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:41

Metafile Examined : i:\9318\c208.cgm

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

===== Trace Report =====

Tracing not selected.

===== CGM Conformance Violation Report =====

No Errors Detected

===== CALS CGM Profile (MIL-D-28003) Report =====

No profile discrepancies detected.

===== Conformance Summary Report =====

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 03/07/93 Time: 15:05:43

Name of CGM under test: i:\9318\c208.cgm

Encoding : Binary

Pictures Examined : All

Elements Examined : All

Bytes Examined : All

BEGIN METAFILE string : "text.cgm"

METAFILE DESCRIPTION : "NORTHROP B2 ITDS GEF, MIL-D-28003/BASIC-1"

Picture 1 starts at octet offset 178; string contains: "Picture 1"

Conformance Summary : This file conforms to the CGM specification.

---

This file meets the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested  
67 Elements Tested  
896 Octets Tested

```
=====
|   No Errors Were Detected   |
=====
```

===== End of Conformance Report =====

## 12.5.2 validcgm Log

Analysis for file c208.cgm using table table  
ERROR: illegal in this state (2), std B  
ERROR: required precursor (0, 4) not yet seen  
(14.1, 0) (3, 6, 2) Clip Indicator OFF  
(0, 1) occurred 1 time  
(0, 2) occurred 1 time  
(0, 3) occurred 1 time  
(0, 4) occurred 1 time  
(0, 5) occurred 1 time  
(1, 1) occurred 1 time  
(1, 2) occurred 1 time  
(1, 3) occurred 1 time  
(1, 4) occurred 1 time  
(1, 5) occurred 1 time  
(1, 6) occurred 1 time  
(1, 7) occurred 1 time  
(1, 8) occurred 1 time  
(1, 9) occurred 1 time  
(1, 10) occurred 1 time  
(1, 11) occurred 1 time  
(1, 12) occurred 1 time  
(1, 13) occurred 1 time  
(2, 2) occurred 1 time  
(2, 6) occurred 1 time  
(2, 7) occurred 1 time  
(3, 2) occurred 1 time  
(3, 6) occurred 1 time  
(3, 6) occurred illegally 1 time

(4, 4) occurred 17 times  
(5, 10) occurred 3 times  
(5, 12) occurred 3 times  
(5, 13) occurred 3 times  
(5, 14) occurred 2 times  
(5, 15) occurred 4 times  
(5, 16) occurred 5 times  
(5, 17) occurred 4 times  
(5, 18) occurred 4 times  
(5, 34) occurred 1 time

---

### 12.5.3 Output Harvard Graphics

**BOLD**

**BOLD 45**

RIGHT CENTERED TEXT

TEXT .12  
**BOLD .15**

SPACING 2

EXPANSION FACTOR 1.5

TEXT COLOR RED

**9318 - HG305 - C208**

---

## 12.5.4 Output cgm2draw/IslandDraw

CENTER TEXT

RIGHT TEXT

ABCD  
EFG  
HIJK  
LMOP  
QRST  
UVW  
XYZ

BOLD 45

D  
O  
W  
N  
  
T  
E  
X  
T  
  
T  
X  
E  
T  
  
P  
U

TEXT .12.

BOLD .15

S P A C I N G 2

EXPANSION FACTOR 1.5

TEXT COLOR RED